ELSEVIER

Journal of Organometallic Chemistry 493 (1995) C32–C33

Journal of Organometallic Chemistry

Author Index of Volume 493

Abram, U., 119
Adams, H., C25
Alberto, R., 119
Albus, S., C6
Artus, G., 119

Bailey, N.A., C25
Baldoli, C., C31
Barr, D., 175
Batyeva, E.S., 221
Belkova, N.V., 275
Berg, D.J., 47
Bertrand, G., 95
Binger, P., C6
Biran, C., 27
Bläser, D., C14
Blass-Amador, G., 61
Boese, R., C14
Bohnen, H., C14
Bonafoux, D., 27
Bond, M.R., 95
Bordeau, M., 27
Borisov, A.P., 275
Brandsma, L., 271
Brauer, D.J., 167
Brocard, J., C22
Brown, M.A., 199
Brunner, H., 163
Burgemeister, T., 163
Bürger, H., 167
Bushnell, G.W., 47

Cano, A., 17
Cardin, C.J., 17
Carpentier, J.-F., C22
Carrano, C.J., 95
Casas, J.S., 107
Casellato, U., 107
Castanet, Y., C22
Cea-Olivares, R., 61, 101
Chaloner, P.A., 77
Chan, S., 229
Convery, M.A., 17
Cowley, A.H., 95
Cox, P.J., 199
Crescenzi, R., 55, C9
Cross, R.J., 243
Csákvári, B., 267
Cucciolito, M.E., 1
Cuenca, T., 17

Dash, A.K., 257
Deacon, G.B., 205
De Felice, V., 1
Del Buttero, P., C31
Den Besten, R., 271
Denisovich, L.I., 181
De Renzi, A., 1
Dickson, R.S., 189
Dittmar, T., 167
Dunoguès, J., 27

Edwards, A.J., 175
Egli, A., 119
Epstein, L.M., 275
Espinosa-Pérez, G., 101

Faba, M.-G., 41
Fischer, R.A., 139
Ford, A., 215
Fraanje, J., 153
Frachey, G., 55, C9

Gabbaï, F.P., 95
Galakhov, M., 17
Garcia-García, P., 61
García Martínez, E., 107
Gay, S.R., C25
Gehart, G., 163
Ginzburg, A.G., 221
Glanz, M., C14
Goffart, J., 149
Gonbeau, D., 41
Goubitz, K., 153
Graupner, R., C1
Graziani, R., 107
Gspaltl, P., 33
Gubskaya, V.P., 221
Gusev, O.V., 181

Hambley, T.W., 205
Hamilton, T., C25
Hampel, F., 113
Heazle, K.D., 189
Hemling, H., C14
Hemme, I., 223
Hengge, E., 33
Herbst-Irmer, R., 223
Herrmann, W.A., 119
Heyn, R.H., 83
Hitchcock, P.B., 77
Holeček, J., 13
Hossain, Md.M., 251, 257
Howie, R.A., 199
Hubbard, J.L., 91

Igau, A., 133
Imori, T., 83

Kaden, T.A., 119
Kellö, E., 13
Kennedy, A.R., 243
Kleverlaan, C.J., 153
Klingebiel, U., 223
Knausz, D., 267
Kondratenko, M.A., 221
Krylov, A.N., 275
Krzyżanowski, P., 261
Kuhn, N., C14
Kurosawa, H., C19

Larré, C., 133
Lawrenz, E.T., 205
Layh, M., C1
Lee, C.K., 47
Licandro, E., C31
Liu, X.-C., 91
Loim, N.M., 221
López-Cardoso, M., 61
López, G., 77
Lo Sterzo, C., 55, C9

Mahaev, V.D., 275
Mahieu, A., 133
Maiorana, S., C31
Majoral, J.-P., 133
Mal'kina, A.G., 271
Manimaran, B., 251
Manojlović-Muir, L., 243
Marciniec, B., 261
Marques, N., 129
Mathur, P., 251, 257
Meier, W., 163
Melvin, O.A., 199
Milukov, V.A., 221
Morozov, V.I., 221
Morozova, L.N., 181
Morris, M.J., C25
Mortreux, A., C22
Muir, K.W., 243
Musin, R.Z., 221

Nawar, N., 239
Noltemeyer, M., 69
Nöth, H., 61

Ogoshi, S., C19
Oprunenko, Y.F., 181
Oskam, A., 153

Papagni, A., C31
Paulus, E., 143
Pawelke, G., 167
Peganova, T.A., 181
Peregudova, S.M., 181
Peterleitner, M.G., 181
Petroskii, P.V., 181
Pfister-Guillouzo, G., 41
Pires de Matos, A., 129
Priermeier, T., 139
Puranik, V.G., 251

Rainone, S., 205
Raithby, P.R., 175
Rennie, M.-A., 175
Rheingold, A.L., 83
Rodríguez, G.M., 17
Rodríguez, V., 77
Roesky, H.W., 69
Rose, E., C22
Rose-Munch, F., C22
Rossenaar, B.D., 153
Roth, K.-D., 113
Royo, P., 17
Ruffo, F., 1
Ruiz, J., 77
Russo, U., 107

Sánchez González, A., 107
Satyanarayana, C.V.V., 251, 257
Schäfer, M., 223
Scharbert, B., 143
Schibli, R., 119
Schmidt, H.-G., 69
Schobert, R., 113
Schubiger, P.A., 119
Schulte, M.M., 139
Schulz, S., 69
Schumann, H., C14
Schütz, U., C1
Scouten, W.H., 91
Shubina, E.S., 275
Silva, M., 129
Silvestru, C., 61
Sinn, E., 215
Sinyashin, O.G., 221
Sivý, J., 13
Smith, A.K., 239
Sohár, P., 267
Sokolov, V.I., 221
Sordo, J., 107
Spirlet, M.-R., 149
Stöss, M., 113
Stufkens, D.J., 153
Susanne, C., C22
Szakács, L., 267
Szalay, R., 267

Tavale, S.S., 251
Tesauro, D., 1
Thomas, C.J., 101
Tilley, T.D., 83
Toscano, R.-A., 61
Trabi, M., 33
Trofimov, B.A., 271
Tsutsumi, K., C19
Turner, R.W., 101

Uhl, W., C1
Uhlig, F., 33
Újszászy, K., 267
Ustynyuk, N.A., 181

Van der Kerk, A.C.H.T.M., 271
Van de Ven, M.C.E., 153
Verhorevoort, K.L., 175
Viola, E., 55, C9
Vrábel, V., 13

Wachter, J., 163
Walker, L., 47
Wardell, J.L., 199
Webster, L.K., 205
Winterfeld, J., C14
Wong, W.-T., 229
Wong, W.-Y., 229
Woodward, S., 215
Wright, D.S., 175

Zanotti-Gerosa, A., C31
Zeisberger, E., 143

ELSEVIER

Journal of Organometallic Chemistry 493 (1995) C34–C42

Journal of Organometallic Chemistry

Subject Index of Volume 493

Acetylide
Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55
Adducts
Syntheses and structural studies of two adducts of cadmocene, [$CdCp_2$.TMEDA] and [$CdCp_2$.PMDETA] (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
Alkyl
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of [{Ti(η^5-C_5H_5)(μ-PPh_2)}$_2${μ-(η^5-C_5H_4-η^5-C_5H_4)}] and [{Zr(η^5-C_5H_5)(μ-C≡CSiMe_3)}$_2${μ-(η^5-C_5H_4-η^5-C_5H_4)}] (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
Synthesis and spectroscopic properties of Re(R)$(CO)_3$(α-diimine) (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of Re(Me)$(CO)_3$(^{i}Pr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
Alkylidyne
Reactions of the alkylidyne cluster [Os_3(μ-H)$_2$$(CO)_9$($\mu_3$-$CNC_5H_4$–CH=$CH_2$)]. Crystal structures of [Os_3(μ-H)$_2$$(CO)_9$($\mu_3$-$CNC_5H_4$–CH=$CH_2$)], [$Os_3$($\mu$-H)$_2$$(CO)_9$($\mu_3$-$CNC_5H_4$-$\mu$-$\eta^2$-CH=CH)$Os_3$($\mu$-H)$(CO)_{10}$] and [$Os_3$($\mu$-H)$_2$$(CO)_9$($\mu_3$-$CNC_5H_4$-C(O)$CH_3$)] (W.-Y. Wong, S. Chan and W.-T. Wong), 229
Alkyne
Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25
Alkynyl
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of [{Ti(η^5-C_5H_5)(μ-PPh_2)}$_2${μ-(η^5-C_5H_4-η^5-C_5H_4)}] and [{Zr(η^5-C_5H_5)(μ-C≡CSiMe_3)}$_2${μ-(η^5-C_5H_4-η^5-C_5H_4)}] (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
Allenyl
Synthesis and structure of cationic η^3-allenyl/propargylpalladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19
Aluminium
Reaktionen von $(Cp'AlCl_2)_2$ und $(Cp^*AlCl_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von $(Cp'(Ph)AlCl)_2$ und $[Cp'(Cl)AlN(H)^tBu]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
Aminoalanes
Reaktionen von $(Cp'AlCl_2)_2$ und $(Cp^*AlCl_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von $(Cp'(Ph)AlCl)_2$ und $[Cp'(Cl)AlN(H)^tBu]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
Ammirophosphine
From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
Anticancer
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
Antimony
The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189
Antitumour activity
Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
Arsenic
Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino-α-D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199
Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. $O(C_6H_4)_2AsS_2CN(CH_2CH_2)_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61
Synthesis and X-ray crystal structure of (p-$CH_3C_6H_4)_3As$ = N–S_3N_3 (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101
The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189
Bis(amino)phosphine azide complexes
Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95
Boron
Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91
The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, $CF_3(R)BNMe_2$: crystal and molecular structure of $CF_3(Et)(NCCH_2)B \cdot NHMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167
Boronate
Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopro-

pylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91

Boronic acid
Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91

Cadmium
Syntheses and structural studies of two adducts of cadmocene, [$CdCp_2$.TMEDA] and [$CdCp_2$.PMDETA] (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Cadmocene
Syntheses and structural studies of two adducts of cadmocene, [$CdCp_2$.TMEDA] and [$CdCp_2$.PMDETA] (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Carbamate
Solvolysis kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvári and P. Sohár), 267

Carbene complexes
Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Carbohydrate
Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino-α-D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199

Carbonyl
Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

Reactions of the alkylidyne cluster $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$, $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}\mu\text{-}\eta^2\text{-}CH{=}CH)Os_3(\mu\text{-}H)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}C(O)CH_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Carbonylate complexes
Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Carbonylation
Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Catalysis
Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6

Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55

Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Catalyst
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143

Cationic Co(II) catalysts
Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6

C–C bond formation
Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C–C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1

Chirality
First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221

Chloroarene
Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Chromatography
Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91

Cluster
$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Reactions of the alkylidyne cluster $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$, $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}\mu\text{-}\eta^2\text{-}CH{=}CH)Os_3(\mu\text{-}H)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}C(O)CH_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Cobalt
Electronic structure of $[CpCoMe_2SiC_4H_4]$, photoelectron and MSX_α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guillouzo), 41

Cobalt compounds
Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Crystal structure
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143

Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Crystal structures of the solvates *trans*-[$RhCl_2$(MeOH){C_6H_3-2,6-(CH_2PCy_2)$_2$}]. 0.41CH_2Cl_2 and *trans*-[$RhCl_2$-(EtOH){C_6H_3-2,6-(CH_2PCy_2)$_2$}]. H_2O. Factors influencing the reactions of C_6H_4-1,3-(CH_2PR_2)$_2$ with $RhCl_3$ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243

Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of [Yb(η^5-$C_5H_4SiMe_3$)$_2$(μ-Cl)]$_2$ (M.-R. Spirlet and J. Goffart), 149

Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Reactions of the alkylidyne cluster [Os_3(μ-H)$_2$(CO)$_9$(μ_3-CNC_5H_4–CH=CH_2)]. Crystal structures of [Os_3(μ-H)$_2$(CO)$_9$(μ_3-CNC_5H_4–CH=CH_2)], [Os_3(μ-H)$_2$(CO)$_9$(μ_3-CNC_5H_4-μ-η^2-CH=CH)Os_3(μ-H)(CO)$_{10}$] and [Os_3(μ-H)$_2$(CO)$_9$(μ_3-CNC_5H_4-C(O)CH_3)] (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Regioselectivity in metallation reactions of 2-(2′-naphthyl)pyridine: 1′- versus 3′-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2′-pyridinyl)naphthyl-C^3,N]palladium (A. Ford, E. Sinn and S. Woodward), 215

Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223

Syntheses and structural studies of two adducts of cadmocene, [$CdCp_2$.TMEDA] and [$CdCp_2$.PMDETA] (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = ($Me_2NCH_2CH_2$)$_2$NMe) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175

Synthesis and molecular structure of methyl 4,6-benzylidene-3-deoxy-3-diphenylarsino-α-D-altropyranoside (M.A. Brown, R.A. Howie, J.L. Wardell, P.J. Cox and O.A. Melvin), 199

Synthesis and spectroscopic properties of Re(R)(CO)$_3$(α-diimine) (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of Re(Me)(CO)$_3$(^{i}Pr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Synthesis and structural investigation of two potential boronate affinity chromatography ligands catechol [2-(diisopropylamino)carbonyl]phenylboronate and catechol [2-(diethylamino)carbonyl, 4-methyl]phenylboronate (X.-C. Liu, J.L. Hubbard and W.H. Scouten), 91

The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13

The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, CF_3(R)$BNMe_2$: crystal and molecular structure of CF_3(Et)($NCCH_2$)B · $NHMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167

Crystal structures
- Reaktionen von (Cp′$AlCl_2$)$_2$ und (Cp*$AlCl_2$)$_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp′(Ph)AlCl)$_2$ und [Cp′(Cl)AlN(H)^{t}Bu]$_2$ (S. Schulz, H.W. Roesky, M. Noltemever und H.-G. Schmidt), 69

Cyclometallation
- Regioselectivity in metallation reactions of 2-(2′-naphthyl)pyridine: 1′- versus 3′-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2′-pyridinyl)naphthyl-C^3,N]palladium (A. Ford, E. Sinn and S. Woodward), 215

Cyclopentadienyl
- First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
- Reaktionen von (Cp′$AlCl_2$)$_2$ und (Cp*$AlCl_2$)$_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von (Cp′(Ph)AlCl)$_2$ und [Cp′(Cl)AlN(H)^{t}Bu]$_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69
- Redox-induced activation of C–H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181

Deltacyclenes
- Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6

Diamine complexes
- Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205

Diethyltin complex
- Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107

Diimine
- Synthesis and spectroscopic properties of Re(R)(CO)$_3$(α-diimine) (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of Re(Me)(CO)$_3$(^{i}Pr-DAB) (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Dilithiation
- Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271

Dimerization
- Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223

Dimetallation
- Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271

Dithiocarbamates
- Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. O(C_6H_4)$_2$AsS_2CN(CH_2CH_2)$_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61

Early transition metals
- Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn T.D. Tilley and A.L. Rheingold), 83

Electrochemistry
- Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Redox-induced activation of C–H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181

Electrogenerated bases

Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27

Epoxidation

Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143

Fulvalene

Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[\{Ti(\eta^5\text{-}C_5H_5)(\mu\text{-}PPh_2)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ and $[\{Zr(\eta^5\text{-}C_5H_5)(\mu\text{-}C{\equiv}CSiMe_3)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17

Fulvene

Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

Gallium

The first volatile Di(organogallio) transition metal Carbonylates: *cis*-$(CO)_4Fe\{Ga[(CH_2)_3NMe_2](R)\}_2$ ($R \equiv {}^tBu$ or C_6H_5), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139

Germanium

Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [$Ar = C_6H_4(2\text{-}CH_2NMe_2)$; Ln = Sm, Yb] and the crystal structure of an unusual μ-(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Group 13

Reaktionen von $(Cp'AlCl_2)_2$ und $(Cp^*AlCl_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von $(Cp'(Ph)AlCl)_2$ und $[Cp'(Cl)AlN(H)^tBu]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69

Group 15

Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. $O(C_6H_4)_2AsS_2CN(CH_2CH_2)_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61

Heterocubane

$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Heterometallic complexes

Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

Homo-Diels-Alder-reaction

Deltacyclene formation catalysed by cationic Co(II) complexes (P. Binger and S. Albus), C6

^1H, ^{29}Si NMR, gas chromatography-mass spectroscopy

Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33

Hydrocarbyl complexes

Synthesis and reactivity of hydrotris(pyrazolyl)borate σ-hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Hydrogen bonding

The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of $MH_4(dppe)_2$ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

Iminozirconiophosphoranes

From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133

Indium

$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Infrared spectroscopy

The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of $MH_4(dppe)_2$ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

Iridium

Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

Iron

Acetylenic derivatives of $Fe_2(CO)_6(\mu\text{-}Se_2)$: synthesis and spectroscopic characterization of $[(CO)_6Fe_2\{\mu\text{-}SeC(H){=}C(H)Se\}]$ and $[\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}C(H)\text{–}C(H)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain and C.V.V. Satyanarayana), 257

Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9

Insertion of methylene group into Fe–Te bond: synthesis and characterization of $\{(CO)_3Fe(\mu\text{-}CH_2)Te\}_2$ (P. Mathur, B. Manimaran, Md.M. Hossain, C.V.V. Satyanarayana, V.G. Puranik and S.S. Tavale), 251

Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

The first volatile Di(organogallio) transition metal Carbonylates: *cis*-$(CO)_4Fe\{Ga[(CH_2)_3NMe_2](R)\}_2$ ($R \equiv {}^tBu$ or C_6H_5), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139

Kinetics

Solvolysis kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvári and P. Sohár), 267

Lanthanide

Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of $[Yb(\eta^5\text{-}C_5H_4SiMe_3)_2(\mu\text{-}Cl)]_2$ (M.-R. Spirlet and J. Goffart), 149

Lanthanides

Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [$Ar = C_6H_4(2\text{-}CH_2NMe_2)$; Ln = Sm, Yb] and the crystal structure of an unusual μ-(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Lanthanum
Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14
Lithium
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [Ar = $C_6H_4(2\text{-}CH_2NMe_2)$; Ln = Sm, Yb] and the crystal structure of an unusual μ-(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47
Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
Low-pressure carbonylation
Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119

Main group elements
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
Manganese
First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22
Mercury
Regioselectivity in metallation reactions of 2-(2′-naphthyl)pyridine: 1′- versus 3′-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2′-pyridinyl)naphthyl-C^3,N]palladium (A. Ford, E. Sinn and S. Woodward), 215
Metal carbonylanions
The first volatile Di(organogallio) transition metal Carbonylates: *cis*-$(CO)_4Fe\{Ga[(CH_2)_3NMe_2](R)\}_2$ (R ≡ ^{t}Bu or C_6H_5), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139
Metal carbonyls
Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119
Metallacycles
Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113
Metallocene
Syntheses and structural studies of two adducts of cadmocene, $[CdCp_2.TMEDA]$ and $[CdCp_2.PMDETA]$ (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
Metallocenes
Redox-induced activation of C–H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181
MOCVD
The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189
The first volatile Di(organogallio) transition metal Carbonylates: *cis*-$(CO)_4Fe\{Ga[(CH_2)_3NMe_2](R)\}_2$ (R ≡ ^{t}Bu or C_6H_5), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139
Molybdenum
Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25
Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55
Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77
Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of $MH_4(dppe)_2$ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275
MSX_α calculations
Electronic structure of $[CpCoMe_2SiC_4H_4]$, photoelectron and MSX_α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guillouzo), 41

Neodymium
Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14
Niobium
Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163
NMR-spectroscopy
Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163

Olefin complexes
Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14
Orthometallation
Crystal structures of the solvates *trans*-$[RhCl_2(MeOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. $0.41CH_2Cl_2$ and *trans*-$[RhCl_2(EtOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. H_2O. Factors influencing the reactions of $C_6H_4\text{-}1,3\text{-}(CH_2PR_2)_2$ with $RhCl_3$ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243

Osmium
Reactions of the alkylidyne cluster $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}CH{=}CH_2)]$, $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}\mu\text{-}\eta^2\text{-}CH{=}CH)Os_3(\mu\text{-}H)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}C(O)CH_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229
Oxidative addition
Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22

Palladium
Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C–C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1
Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55
Oxidative addition of cationic (η^6-chloroarene)tricarbonylmanganese compounds to palladium(0) complexes. Synthesis, characterisation and reactivity (J.-F. Carpentier, Y. Castanet, J. Brocard, A. Mortreux, F. Rose-Munch, C. Susanne and E. Rose), C22
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77
Regioselectivity in metallation reactions of 2-(2′-naphthyl)pyridine: 1′- versus 3′-reactivity in mercuration and palladation reactions. Crystal structure of chloro(pyridine)[2-(2′-pyridinyl)naphthyl-C^3,N]palladium (A. Ford, E. Sinn and S. Woodward), 215
Synthesis and structure of cationic η^3-allenyl/propargylpalladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19
Pentafluorophenyl
Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
Peralkylated niobocene
Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163
Permethylated cyclosilanes
Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33
PE spectrum
Electronic structure of $[CpCoMe_2SiC_4H_4]$, photoelectron and MSX_α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guillouzo), 41
Phenoxarsine
Synthesis and structural characterization of phenoxarsin-10-yl dithiocarbamates. $O(C_6H_4)_2AsS_2CN(CH_2CH_2)_2$, a compound containing an asymmetric mononuclear biconnective 1,1-dithiolato ligand (R. Cea-Olivares, R.-A. Toscano, C. Silvestru, P. Garcia-García, M. López-Cardoso, G. Blass-Amador and H. Nöth), 61
Phosphaimine
From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
μ-Phosphanido
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[\{Ti(\eta^5\text{-}C_5H_5)(\mu\text{-}PPh_2)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ and $[\{Zr(\eta^5\text{-}C_5H_5)(\mu\text{-}C{\equiv}CSiMe_3)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
Phosphorimines
From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
Photoelectron spectroscopy
Synthesis and spectroscopic properties of $Re(R)(CO)_3(\alpha\text{-diimine})$ (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of $Re(Me)(CO)_3(^i\text{Pr-DAB})$ (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153
Platinum
Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C–C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77
Platinum(IV) organometallics. I. Syntheses of *trans*-di(carboxylato)ethane-1,2-diamine-*cis*-bis(pentafluorophenyl)platinum-(IV) complexes and the X-ray crystal structure of the *n*-butanoato derivative (G.B. Deacon, E.T. Lawrenz, T.W. Hambley, S. Rainone and L.K. Webster), 205
Redox-induced activation of C–H bonds in 1,2,3,4,5-pentamethylcyclopentadiene platinum complexes (O.V. Gusev, L.N. Morozova, T.A. Peganova, M.G. Peterleitner, S.M. Peregudova, L.I. Denisovich, P.V. Petroskii, Y.F. Oprunenko and N.A. Ustynyuk), 181
Polysilane
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83
Porphyrin
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
Potassium tert-butylate
Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33
Preparations
Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9
Propargyl
Synthesis and structure of cationic η^3-allenyl/propargylpalladium complexes (S. Ogoshi, K. Tsutsumi and H. Kurosawa), C19
Protonation
The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of

$MH_4(dppe)_2$ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

Pyrazolylborate complexes
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ-hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Quinolate
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13

Radical
First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221

Raman spectroscopy
Synthesis and spectroscopic properties of $Re(R)(CO)_3(\alpha\text{-diimine})$ (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of $Re(Me)(CO)_3(^i Pr\text{-DAB})$ (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Reactivity
Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P. Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ-hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Rhenium
Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119
Synthesis and spectroscopic properties of $Re(R)(CO)_3(\alpha\text{-diimine})$ (R = alkyl; α-diimine = R′-pyCa, R′-DAB) complexes. Crystal structure of $Re(Me)(CO)_3(^i Pr\text{-DAB})$ (B.D. Rossenaar, C.J. Kleverlaan, M.C.E. Van de Ven, D.J. Stufkens, A. Oskam, J. Fraanje and K. Goubitz), 153

Rhodium
Crystal structures of the solvates *trans*-$[RhCl_2(MeOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. $0.41CH_2Cl_2$ and *trans*-$[RhCl_2(EtOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. H_2O. Factors influencing the reactions of $C_6H_4\text{-}1,3\text{-}(CH_2PR_2)_2$ with $RhCl_3$ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243
Synthesis, characterization and some reactions of $[(diene)Rh(\mu\text{-}OSiMe_3)]_2$ (B. Marciniec and P. Krzyżanowski), 261

Ruthenium
Aerobic epoxidation with a ruthenium-porphyrin catalyst: formation of an inactive carbonyl complex (B. Scharbert, E. Zeisberger and E. Paulus), 143
Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55
Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9
Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239

Sacrificial magnesium anode
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27

Salt elimination
Reaktionen von $(Cp'AlCl_2)_2$ und $(Cp^*AlCl_2)_2$ mit Alkyl- bzw. Arylalkaliverbindungen sowie lithiierten Aminen: Struktur von $(Cp'(Ph)AlCl)_2$ und $[Cp'(Cl)AlN(H)^tBu]_2$ (S. Schulz, H.W. Roesky, M. Noltemeyer und H.-G. Schmidt), 69

Samarium
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [$Ar = C_6H_4(2\text{-}CH_2NMe_2)$; Ln = Sm, Yb] and the crystal structure of an unusual μ-(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47

Selenium
Acetylenic derivatives of $Fe_2(CO)_6(\mu\text{-}Se_2)$: synthesis and spectroscopic characterization of $[(CO)_6Fe_2\{\mu\text{-}SeC(H)\text{=}C(H)Se\}]$ and $[\{(CO)_6Fe_2Se_2\}_2\{\mu\text{-}C(H)\text{–}C(H)\}]$ (P. Mathur, A.K. Dash, Md.M. Hossain and C.V.V. Satyanarayana), 257
$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1

Silaamidide
Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223

Silicon
Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
Solvolysis kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvári and P. Sohár), 267
Synthese und Kristallstruktur des ersten dimeren Silaamidids (I. Hemme, M. Schäfer, R. Herbst-Irmer und U. Klingebiel), 223
Synthesis, characterization and some reactions of $[(diene)Rh(\mu\text{-}OSiMe_3)]_2$ (B. Marciniec and P. Krzyżanowski), 261

Silyl
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Silyl enol ethers
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27

SINDO calculations
Chemie metallacyclischer Alkenylcarbenkomplexe II. Einfluß des Zentralmetalls auf Struktur, Reaktivität und Elektronentransfereigenschaften (R. Schobert, F. Hampel, K.-D. Roth und M. Stöss), 113

Solvatochromism
Reactions of the alkylidyne cluster $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{–}CH\text{=}CH_2)]$. Crystal structures of $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{–}CH\text{=}CH_2)]$, $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}\mu\text{-}\eta^2\text{-}CH\text{=}CH)Os_3(\mu\text{-}H)(CO)_{10}]$ and $[Os_3(\mu\text{-}H)_2(CO)_9(\mu_3\text{-}CNC_5H_4\text{-}C(O)CH_3)]$ (W.-Y. Wong, S. Chan and W.-T. Wong), 229

Solvolysis
Solvolysis kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvári and P. Sohár), 267

Stannyl
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Stereoselective synthesis
Stereoselective electrochemical synthesis of silyl enol ethers using a sacrificial magnesium anode (D. Bonafoux, M. Bordeau, C. Biran and J. Dunoguès), 27
Sulfur
Chemical evidence for the existence of peralkylated niobocene in a fulvenoid form by its reaction with sulfur (H. Brunner, G. Gehart, W. Meier, J. Wachter and T. Burgemeister), 163
Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
First optically active organometallic free radical in the cymantrene series (V.A. Milukov, O.G. Sinyashin, A.G. Ginzburg, M.A. Kondratenko, N.M. Loim, V.P. Gubskaya, R.Z. Musin, V.I. Morozov, E.S. Batyeva and V.I. Sokolov), 221
Synthesis
Cationic Platinum(II)- or Palladium(II)-carbyl complexes and unsaturated substrates: a facile way to C–C bond formation (V. De Felice, M.E. Cucciolito, A. De Renzi, F. Ruffo and D. Tesauro), 1
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ-hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Technetium
Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119
Tellurium
Dimetallation of *N*-ethynylpyrrole and subsequent regiospecific derivatization (A.G. Mal'kina, R. Den Besten, A.C.H.T.M. Van der Kerk, L. Brandsma and B.A. Trofimov), 271
Insertion of methylene group into Fe–Te bond: synthesis and characterization of $\{(CO)_3Fe(\mu\text{-}CH_2)Te\}_2$ (P. Mathur, B. Manimaran, Md.M. Hossain, C.V.V. Satyanarayana, V.G. Puranik and S.S. Tavale), 251
The assessment of some Sb–Te single-source compounds for MOCVD applications (R.S. Dickson and K.D. Heazle), 189
Terdentate ligands
Crystal structures of the solvates *trans*-$[RhCl_2(MeOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. $0.41CH_2Cl_2$ and *trans*-$[RhCl_2\text{-}(EtOH)\{C_6H_3\text{-}2,6\text{-}(CH_2PCy_2)_2\}]$. H_2O. Factors influencing the reactions of $C_6H_4\text{-}1,3\text{-}(CH_2PR_2)_2$ with $RhCl_3$ (R.J. Cross, A.R. Kennedy, L. Manojlović-Muir and K.W. Muir), 243
Tertiary arsines
Synthesis and X-ray crystal structure of $(p\text{-}CH_3C_6H_4)_3As{=}N\text{–}S_3N_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101
Tetrahedron
$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
Tetramethylsilole
Electronic structure of $[CpCoMe_2SiC_4H_4]$, photoelectron and MSX_α studies (M.-G. Faba, D. Gonbeau and G. Pfister-Guillouzo), 41
Thiazenes
Synthesis and X-ray crystal structure of $(p\text{-}CH_3C_6H_4)_3As{=}N\text{–}S_3N_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101
Thin alloy films
The first volatile Di(organogallio) transition metal Carbonylates: *cis*-$(CO)_4Fe\{Ga[(CH_2)_3NMe_2](R)\}_2$ ($R \equiv {}^tBu$ or C_6H_5), Precursors for Gallium Rich Thin Fe–Ga Alloy Films (R.A. Fischer, M.M. Schulte and T. Priermeier), 139
Thiol
Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25
Thiophene diacetylides
Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9
Tin
Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
Titanium
From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[\{Ti(\eta^5\text{-}C_5H_5)(\mu\text{-}PPh_2)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ and $[\{Zr(\eta^5\text{-}C_5H_5)(\mu\text{-}C{\equiv}CSiMe_3)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
Tridentate phosphines
Syntheses of ruthenium-containing heterometallic complexes by use of tridentate phosphine ligands (N. Nawar and A.K. Smith), 239
Trifluoromethyl
The effect of trifluoromethyl substitution on the B=N bond in trifluoromethyl-dimethylaminoboranes, $CF_3(R)BNMe_2$: crystal and molecular structure of $CF_3(Et)(NCCH_2)B \cdot NHMe_2$ (D.J. Brauer, H. Bürger, T. Dittmar and G. Pawelke), 167
Trimethylsilyl
Solvolysis kinetics of trimethylsilyl esters of aromatic *N*-carboxylic acids (R. Szalay, D. Knausz, L. Szakács, K. Újszászy, B. Csákvári and P. Sohár), 267
Trinuclear
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77
Tungsten
Formation of Metal σ-acetylides of Mo, W, and Ru via Palladium-Catalyzed Metal–Carbon Coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), 55
Formation of Mo, W, Fe and Ru di(metal σ-acetylide) derivatives of 2.5-diethynylthiophene via palladium-catalyzed metal–carbon coupling (E. Viola, C. Lo Sterzo, R. Crescenzi and G. Frachey), C9
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77
The role of hydrogen bonds involving the metal atom in protonation of polyhydrides of molybdenum and tungsten of $MH_4(dppe)_2$ (E.S. Shubina, A.N. Krylov, N.V. Belkova, L.M. Epstein, A.P. Borisov and V.D. Mahaev), 275

Undecamethylcyclohexasilanylpotassium
Zur Darstellung von permethylierten Cyclosilanylalkalimetall-Derivaten (F. Uhlig, P. Gspaltl, M. Trabi und E. Hengge), 33
Uranium
Synthesis and reactivity of hydrotris(pyrazolyl)borate σ-hydrocarbyl uranium(IV) complexes (M. Silva, N. Marques and A. Pires de Matos), 129

Vinyl
Dealkylation of thiols by alkyne-bridged dimolybdenum complexes (H. Adams, N.A. Bailey, S.R. Gay, T. Hamilton and M.J. Morris), C25

X-ray diffraction
Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of $[Yb(\eta^5\text{-}C_5H_4SiMe_3)_2(\mu\text{-}Cl)]_2$ (M.-R. Spirlet and J. Goffart), 149
Syntheses and structural studies of two adducts of cadmocene, $[CdCp_2.TMEDA]$ and $[CdCp_2.PMDETA]$ (TMEDA = $Me_2NCH_2CH_2NMe_2$, PMDETA = $(Me_2NCH_2CH_2)_2NMe$) (D. Barr, A.J. Edwards, P.R. Raithby, M.-A. Rennie, K.L. Verhorevoort and D.S. Wright), 175
Synthesis and X-ray crystal structure of $(p\text{-}CH_3C_6H_4)_3As{=}N\text{-}S_3N_3$ (C.J. Thomas, R. Cea-Olivares, G. Espinosa-Pérez and R.W. Turner), 101
The crystal structure of butylchlorobis(8-quinolinate)tin(IV) (E. Kellö, V. Vrábel, J. Holeček and J. Sivý), 13
X-ray structure
Cationic complexes of diorganotin(IV) derivatives. The crystal structure of tetrakis[1-methyl-2(3H)-imidazolinethione]diethyltin(IV) nitrate (J.S. Casas, E. García Martínez, A. Sánchez González, J. Sordo, U. Casellato, R. Graziani and U. Russo), 107
$In_4\{C(SiMe_3)_3\}_4$ mit In_4-Tetraeder und $In_4Se_4\{C(SiMe_3)_3\}_4$ mit In_4Se_4-Heterocubanstruktur (W. Uhl, R. Graupner, M. Layh und U. Schütz), C1
Metal carbonyl syntheses. XXII. Low pressure carbonylation of $[MOCl_4]^-$ and $[MO_4]^-$: the technetium(I) and rhenium(I) complexes $[NEt_4]_2[MCl_3(CO)_3]$ (R. Alberto, R. Schibli, A. Egli, P.A. Schubiger, W.A. Herrmann, G. Artus, U. Abram and T.A. Kaden), 119
Structural investigation into the surprising stability of free and complexed bis(amino)phosphine azides (A.H. Cowley, F.P. Gabbaï, G. Bertrand, C.J. Carrano and M.R. Bond), 95
X-ray structures
Pentahalophenyl palladium and platinum trinuclear complexes with tetrathiomolybdate and tetrathiotungstate (J. Ruiz, V. Rodríguez, G. López, P.A. Chaloner and P.B. Hitchcock), 77

Ylidic complexes
Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14
Ytterbium
Chelating triarylgermyl anions as ligands in lanthanide chemistry: synthesis of $Ln[GeAr_3]_2$ [$Ar = C_6H_4(2\text{-}CH_2NMe_2)$; Ln = Sm, Yb] and the crystal structure of an unusual μ-(*o*-tolylene)digermane byproduct (D.J. Berg, C.K. Lee, L. Walker and G.W. Bushnell), 47
Dicyclopentadienyl complexes of ytterbium(III). The crystal structure of $[Yb(\eta^5\text{-}C_5H_4SiMe_3)_2(\mu\text{-}Cl)]_2$ (M.-R. Spirlet and J. Goffart), 149
Yttrium
Metallorganische Verbindungen der Lanthanoide. XCVI. Ylidartige Olefinkoordination in Komplexen dreiwertiger 4f-Elemente (H. Schumann, M. Glanz, J. Winterfeld, H. Hemling, N. Kuhn, H. Bohnen, D. Bläser und R. Boese), C14

Zirconium
From phosphaimines to phosphanes via transient iminozirconiophosphoranes (C. Larré, A. Mahieu, A. Igau and J.-P. Majoral), 133
Fulvalene titanium and zirconium complexes: synthesis and NMR study of phosphanido-, alkyl-, and alkynyl-derivatives. X-ray crystal structures of $[\{Ti(\eta^5\text{-}C_5H_5)(\mu\text{-}PPh_2)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ and $[\{Zr(\eta^5\text{-}C_5H_5)(\mu\text{-}C{\equiv}CSiMe_3)\}_2\{\mu\text{-}(\eta^5\text{-}C_5H_4\text{-}\eta^5\text{-}C_5H_4)\}]$ (A. Cano, T. Cuenca, M. Galakhov, G.M. Rodríguez, P. Royo, C.J. Cardin and M.A. Convery), 17
Synthetic, structural and reactivity studies with new Group 4 transition-metal silyl complexes (T. Imori, R.H. Heyn, T.D. Tilley and A.L. Rheingold), 83

Book Reviews
Organometallic Reagents in Synthesis, Paul R. Jenkins (J.R. Hanson), C29
Sulfur Reagents in Organic Synthesis, Harcourt Brace (S.D. Craddick), C29